



Unlock and open the door to an economical Door Scheduling solution

Mr F. Blaylock  
Blaylock Associates  
Delta Towers  
Grand Central Highway  
Singapore  
529667

Re: Grand Norden Phase1  
India

Date: 04 November 2013

Quote No: 2861

Quote Ref: GN-1HT

Your Ref: GN -1

Estimator: Rowan Wilson

Rep: Kathryn Edge

---

The attached specification has been prepared in conjunction with your instructions and drawing reference S18843/dd

Please do not hesitate to contact us if you have any queries or would like to change the finish or specification of any of the products.

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



### LKGR - Luxury King Guest Room

Set Ref	Set Text	Qty	Sell Price	Line Total
D01	Main Door	1	211.30	211.30
D02	W/C Door	1	66.66	66.66
D03	Bathroom Door	1	95.00	95.00
D04	Shower Door	1	105.00	105.00
			£	477.96

Ref.	Description
LKGR	Adding Individual Room references allows additional reporting features

Total number: 1

**Total Type Value: £ 477.96**

### SLGR - Super Luxury Guest Room

Set Ref	Set Text	Qty	Sell Price	Line Total
D01	Main Door	1	211.30	211.30
D02L	Bedroom Door	1	576.66	576.66
D03L	Living Room Door	1	521.66	521.66
D04L	Bathroom Door	1	538.32	538.32
D05L	Bathroom Door	1	521.66	521.66
D06L	Wardrobe Door	1	504.99	504.99
D07L	Shower Door	1	264.97	264.97
			£	3139.56

Ref.	Description
SLGR	

Total number: 1

**Total Type Value: £ 3139.56**

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



### Summary

Ref.	Type	Description	Value
LKGR	LKGR	Luxury King Guest Room	477.96
SLGR	SLGR	Super Luxury Guest Room	3139.56
<b>2 items</b>		<b>Total Value</b>	<b>£ 3617.52</b>

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



### Door Set Summary

Hardware Set Ref: D01 Main Door

Product	Description	Quantity	Price	Unit	Value
0100-HW-101	Signature RFID with wing handle	1	61.32	Each	61.32
0100-HW-102	Lockwood IC5124HO Concealed Cam Action Power	1	83.33	Each	83.33
0100-HW-103	Lockwood H2BB-03 102 x 76 x 3.0 - 2 Ball Bear	4	3.33	Each	13.32
0100-HW-104	Rockwood Door Viewer 190 degree with Flap UL	1	6.67	Each	6.67
0100-HW-105	Lockwood DSS-01 Security Door Chain SC	1	6.67	Each	6.67
0100-HW-106	Pemko 411APKL37 Auto Door Bottom (timber door	1	23.33	Each	23.33
0100-HW-107	Lockwood FS-01 Half Moon Floor Door Stop SSS	1	3.33	Each	3.33
0100-HW-108	Pemko Adhesive Smoke Seal S88D20 Dark Tan	1	13.33	Each	13.33
		<b>2 Doors @</b>	<b>211.30</b>	<b>= £</b>	<b>422.60</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D02                      W/C Door**

<b>Product</b>	<b>Description</b>	<b>Quantity</b>	<b>Price</b>	<b>Unit</b>	<b>Value</b>
0100-HW-109	Henderson Husky 100, Sliding fitting for Timb	1	33.33	Each	33.33
0100-HW-109-2000	Henderson Track 280A/2000mm	1	16.67	Each	16.67
0100-HW-116	Lockwood SLD-01 Euro Mortice Sliding Door Loc	1	8.33	Each	8.33
0100-HW-117	Lockwood SLF-02 Euro Mortice Sliding Door Loc	1	8.33	Each	8.33
		<b>1 Doors @</b>	<b>66.66</b>	<b>= £</b>	<b>66.66</b>

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



Hardware Set Ref: **D02L**                      **Bedroom Door**

Product	Description	Quantity	Price	Unit	Value
0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	2	200.00	Each	400.00
0100-HW-111-2000	Henderson 600 Alu Track 2000mm	2	33.33	Each	66.66
0100-HW-112	Lockwood SD101 SSS Sliding Glass Single Door	2	41.67	Each	83.34
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	2	13.33	Each	26.66
		<b>1 Doors @</b>	<b>576.66</b>	<b>= £</b>	<b>576.66</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D03 Bathroom Door**

Product	Description	Quantity	Price	Unit	Value
0100-HW-109	Henderson Husky 100, Sliding fitting for Timb	1	33.33	Each	33.33
0100-HW-109-3000	Henderson Track 280A/3000mm	1	16.67	Each	16.67
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	1	13.33	Each	13.33
0100-HW-115	Lockwood FP-04 65mm Diameter Round Concealed	4	5.00	Each	20.00
0100-HW-116	Lockwood SLD-01 Euro Mortice Sliding Door Loc	1	8.33	Each	8.33
0100-HW-118	Lockwood EE-01 Euro Mortice Escutcheons SSS	2	1.67	Each	3.34
		<b>1 Doors @</b>	<b>95.00</b>	<b>= £</b>	<b>95.00</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D03L Living Room Door**

<b>Product</b>	<b>Description</b>	<b>Quantity</b>	<b>Price</b>	<b>Unit</b>	<b>Value</b>
0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	2	200.00	Each	400.00
0100-HW-111-3000	Henderson 600 Alu Track 3000mm	1	50.00	Each	50.00
0100-HW-113	Lockwood SD102 SSS Sliding Glass Double Door	1	58.33	Each	58.33
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	1	13.33	Each	13.33
		<b>1 Doors @</b>	<b>521.66</b>	<b>= £</b>	<b>521.66</b>



## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



### Hardware Set Ref: D04 Shower Door

Product	Description	Quantity	Price	Unit	Value
0100-HW-119	Lockwood L-2121 Shower Hinge Wall to Glass -	3	20.00	Each	60.00
0100-HW-121	Lockwood L-2815 Shower Handle with Bright Sta	1	11.67	Each	11.67
0100-HW-124	Lockwood LW-2904A Glass to Floor Seal for 8mm	1	8.33	Each	8.33
0100-HW-125	Lockwood LW-2905A Glass to Floor Seal for 8mm	1	8.33	Each	8.33
0100-HW-126	Lockwood LW-2907A 180° Glass to Glass Magneti	1	16.67	Each	16.67
		<b>1 Doors @</b>	<b>105.00</b>	<b>= £</b>	<b>105.00</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D04L Bathroom Door**

Product	Description	Quantity	Price	Unit	Value
0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	2	200.00	Each	400.00
0100-HW-111-2000	Henderson 600 Alu Track 2000mm	2	33.33	Each	66.66
0100-HW-113	Lockwood SD102 SSS Sliding Glass Double Door	1	58.33	Each	58.33
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	1	13.33	Each	13.33
		<b>1 Doors @</b>	<b>538.32</b>	<b>= £</b>	<b>538.32</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D05L Bathroom Door**

<b>Product</b>	<b>Description</b>	<b>Quantity</b>	<b>Price</b>	<b>Unit</b>	<b>Value</b>
0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	2	200.00	Each	400.00
0100-HW-111-3000	Henderson 600 Alu Track 3000mm	1	50.00	Each	50.00
0100-HW-113	Lockwood SD102 SSS Sliding Glass Double Door	1	58.33	Each	58.33
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	1	13.33	Each	13.33
		<b>1 Doors @</b>	<b>521.66</b>	<b>= £</b>	<b>521.66</b>

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**Hardware Set Ref: D06L                      Wardrobe Door**

<b>Product</b>	<b>Description</b>	<b>Quantity</b>	<b>Price</b>	<b>Unit</b>	<b>Value</b>
0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	2	200.00	Each	400.00
0100-HW-111-2000	Henderson 600 Alu Track 2000mm	1	33.33	Each	33.33
0100-HW-113	Lockwood SD102 SSS Sliding Glass Double Door	1	58.33	Each	58.33
0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	1	13.33	Each	13.33
		<b>1 Doors @</b>	<b>504.99</b>	<b>= £</b>	<b>504.99</b>

Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



Hardware Set Ref: D07L Shower Door


















Product	Description	Quantity	Price	Unit	Value
0100-HW-120	Lockwood L-2123 Shower Hinge Glass to Glass 1	6	33.33	Each	199.98
0100-HW-121	Lockwood L-2815 Shower Handle with Bright Sta	2	11.67	Each	23.34
0100-HW-122	Lockwood LW-2900A Glass to Glass Seal for 8mm	2	8.33	Each	16.66
0100-HW-123	Lockwood LW-2901A Glass to Glass Seal for 8mm	2	8.33	Each	16.66
0100-HW-124	Lockwood LW-2904A Glass to Floor Seal for 8mm	1	8.33	Each	8.33
		<b>1 Doors @</b>	<b>264.97</b>	<b>= £</b>	<b>264.97</b>

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



### Product Summary

Product Code	Description	Qty	Price	Unit	Value
 0100-HW-113	Lockwood SD102 SSS Sliding Glass Double Door	4	58.33	Each	233.32
 0100-HW-102	Lockwood IC5124HO Concealed Cam Action Power	2	83.33	Each	166.66
 0100-HW-103	Lockwood H2BB-03 102 x 76 x 3.0 - 2 Ball Bear	8	3.33	Each	26.64
 0100-HW-104	Rockwood Door Viewer 190 degree with Flap UL	2	6.67	Each	13.34
 0100-HW-105	Lockwood DSS-01 Security Door Chain SC	2	6.67	Each	13.34
 0100-HW-106	Pemko 411APKL37 Auto Door Bottom (timber door	2	23.33	Each	46.66
 0100-HW-107	Lockwood FS-01 Half Moon Floor Door Stop SSS	2	3.33	Each	6.66
 0100-HW-108	Pemko Adhesive Smoke Seal S88D20 Dark Tan	2	13.33	Each	26.66
 0100-HW-109	Henderson Husky 100, Sliding fitting for Timb	2	33.33	Each	66.66
 0100-HW-109-¿	Henderson Track 280A/2000mm	1	16.67	Each	16.67
 0100-HW-109-¿	Henderson Track 280A/3000mm	1	16.67	Each	16.67
 0100-HW-111	Henderson Pacer 12/75 Glass Sliding fitting	10	200.00	Each	2000.00
 0100-HW-111-¿	Henderson 600 Alu Track 2000mm	5	33.33	Each	166.65
 0100-HW-101	Signature RFID with wing handle	2	61.32	Each	122.64
 0100-HW-112	Lockwood SD101 SSS Sliding Glass Single Door	2	41.67	Each	83.34
 0100-HW-126	Lockwood LW-2907A 180° Glass to Glass Magneti	1	16.67	Each	16.67
 0100-HW-114	Lockwood BT/35/35 Bathroom (Privacy) Cylinder	7	13.33	Each	93.31

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution

	0100-HW-115 Lockwood FP-04 65mm Diameter Round Concealed	4	5.00	Each	20.00
	0100-HW-116 Lockwood SLD-01 Euro Mortice Sliding Door Loc	2	8.33	Each	16.66
	0100-HW-117 Lockwood SLF-02 Euro Mortice Sliding Door Loc	1	8.33	Each	8.33
	0100-HW-118 Lockwood EE-01 Euro Mortice Escutcheons SSS	2	1.67	Each	3.34
	0100-HW-119 Lockwood L-2121 Shower Hinge Wall to Glass -	3	20.00	Each	60.00
	0100-HW-120 Lockwood L-2123 Shower Hinge Glass to Glass 1	6	33.33	Each	199.98
	0100-HW-121 Lockwood L-2815 Shower Handle with Bright Sta	3	11.67	Each	35.01
	0100-HW-122 Lockwood LW-2900A Glass to Glass Seal for 8mm	2	8.33	Each	16.66
	0100-HW-123 Lockwood LW-2901A Glass to Glass Seal for 8mm	2	8.33	Each	16.66
	0100-HW-124 Lockwood LW-2904A Glass to Floor Seal for 8mm	2	8.33	Each	16.66
	0100-HW-125 Lockwood LW-2905A Glass to Floor Seal for 8mm	1	8.33	Each	8.33
	0100-HW-111 Henderson 600 Alu Track 3000mm	2	50.00	Each	100.00

**Total Items: 85 Value: £ 3617.52**

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution



**0100-HW-101**

Signature RFID with wing handle



Signature RFID with wing handle

<b>Used In</b>	<b>Qty</b>
LKGR	1
SLGR	1

Manufacturer : ASSA ABLOY / VING CARD

Type :

Model :SIGNATURE RFID

WITH WING HANDLE

Fin :POLISHED CHROME

Color :

Size :AS SHOWN

Note :

Source :

VINGCARD

INDIA

Rashan Mandarte

Mobile: +91 9773357503

Notes :

- 1 : All door hardware must comply with local code fire regulation.
- 2 : Number of magnetic catches, hinges, position & sizes to be advised by manufacturer
- 3 : To submit samples for approval if selections are substituted
- 4 : Specified hardware handling refer to location of doors as per shown on drawings.



**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-102**

Lockwood IC5124HO Concealed Cam Action Power



Lockwood IC5124HO Concealed Cam Action Power Adjustable Door closer, Size 2-4, Hold Open, Silver Concealed Cam Action Door Closer

Used In	Qty
LKGR	1
SLGR	1

Manufacturer : ASSA ABLOY  
 Model :LOCKWOOD IC5124HO  
 Fin :SILVER

Source :  
 KRAMAR ARCHITECTURAL SOLUTIONS  
 MUMBAI  
 Email :info@kramar.net.in  
 Tel : +91 97780933456


- Notes :
- 1 : All door hardware must comply with local code fire regulation.
  - 2 : Number of magnetic catches, hinges, position & sizes to be advised by manufacturer
  - 3 : To submit samples for approval if selections are substituted
  - 4 : Specified hardware handling refer to location of doors as per shown on drawings.

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-103**

Lockwood H2BB-03 102 x 76 x 3.0 - 2 Ball Bear



Lockwood H2BB-03 102 x 76 x 3.0 - 2 Ball Bearing Button Tipped SSS 304

- Stainless Steel Ball Bearing Button Tip Hinge
- Shall be suitable for interior / exterior doors
- Shall be with two ball bearings
- Shall be manufactured of SS304 Stainless Steel
- Shall be with Fixed Pins of Standard Imperial Hole pattern
- Shall be of size 102 x 76 x 3.0mm

Used In	Qty
LKGR	4
SLGR	4

Manufacturer : ASSA ABLO  
 Model :LOCKWOOD H2BB-02  
 Fin :SATIN STAINLESS STEEL  
 Size :102 x 76 x 3.0 mm

Source :  
 KRAMAR ARCHITECTURAL SOLUTIONS  
 MUMBAI  
 Email :info@kramar.net.in  
 Tel : +91 97780933456

- Notes :
- 1 : All door hardware must comply with local code fire regulation.
  - 2 : Number of magnetic catches, hinges, position & sizes to be advised by manufacturer
  - 3 : To submit samples for approval if selections are substituted
  - 4 : Specified hardware handling refer to location of doors as per shown on drawings.

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-104**

Rockwood Door Viewer 190 degree with Flap UL



Rockwood Door Viewer 190 degree with Flap UL listed 626 US26D

- 190° Door Viewer, with Flap
- Shall be UL listed for Fire Door Application

Used In	Qty
LKGR	1
SLGR	1

Manufacturer : ASSA ABLO  
 Model :ROCKWOOD DOOR VIEWER  
 190° WITH FLAP - UL LISTED  
 Fin :SATIN CHROMIUM PLATED

Source :  
 KRAMAR ARCHITECTURAL SOLUTIONS  
 MUMBAI  
 Email :info@kramar.net.in  
 Tel : +91 97780933456

- Notes :
- 1 : All door hardware must comply with local code fire regulation.
  - 2 : Number of magnetic catches, hinges, position & sizes to be adviced by manufacturer
  - 3 : To submit samples for approval if selections are substituted
  - 4 : Specified hardware handling refer to location of doors as per shown on drawings.

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-105**

Lockwood DSS-01 Security Door Chain SC



Lockwood DSS-01 Security Door Chain SC

- Security Door Chain
- Shall be made of 304 Grade Stainless Steel
- Shall have Satin Stainless Steel finish


<b>Used In</b>	<b>Qty</b>
LKGR	1
SLGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-106**

Pemko 411APKL37 Auto Door Bottom (timber door)



Pemko 411APKL37 Auto Door Bottom (timber door)

- Shall carry manufacturer’s warranty of 5 years
- The automatic door bottom shall be non handed, reversible and fully mortise
- The door bottom should be made of an aluminium case that surrounds a movable drop bar seal.
- The drop bar seal shall be actuated by a plunger which contacts the Hinge jamb as the door is closing, forcing the drop-bar seal down against the floor/threshold
- The drop bar seal actuation mechanism shall cause the drop bar seal to always actuate on the hinge side first. Thus preventing the seal from skidding along the floor/threshold while the door is being closed. Not allowing a door hang-up.
- Shall be tested for air infiltration in accordance with the requirements of ASTM E-283 Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors.
- Shall be Listed by WYLE Laboratories as having been tested in accordance with Underwriters Laboratories Inc.®, Standard UL 1784-2001 Air Leakage Tests of Door Assemblies, and meet the performance criteria for allowable air leakage as specified in NFPA 105-99 Installation of Smoke Control Door Assemblies.
- Shall be fire rated, classified and listed (U.S.A. and Canada) to meet the requirements/standards of UL10B, UL10C, UL10C (Edge Sealing) and UBC7.2 (positive pressure).
- Shall be acoustically tested in accordance with ASTM E 90-97 Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions, and ASTM E 1408-91 Standard Test Method for Laboratory Measurement of Sound Transmission Loss of Door Panels and Door Systems.
- Shall be voluntarily submitted to rigid third party testing and follow-up audits to confirm that these products fully and continuously meet or exceed the requirements of their underlying ANSI / BHMA Standards.

Used In	Qty
LKGR	1
SLGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-107**

Lockwood FS-01 Half Moon Floor Door Stop SSS



Lockwood FS-01 Half Moon Floor Door Stop SSS

- Half Moon Floor Door Stop
- Shall be made of 304 Grade Stainless Steel
- Shall have Satin Stainless Steel finish

<b>Used In</b>	<b>Qty</b>
LKGR	1
SLGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-108**

Pemko Adhesive Smoke Seal S88D20 Dark Tan



**Pemko Adhesive Smoke Seal S88D20 Dark Tan**

- The silicone seal shall be extruded from high temperature silicone, effective between -58 degree Fahrenheit to 450 degree Fahrenheit
- Shall be self -extinguishing and non-toxic
- Shall be unaffected by ultraviolet rays, sunlight and ozone
- Shall be impervious to fungus and mild dew, and shall not deteriorate under normal pressure
- Sound tested in accordance with ASTM E 90-97 and ASTM E 1408-91.
- Shall confirm to ANSI/BHMA 156.22- 2005 standard for door gasketing systems.
- Shall be fire rated and classified to meet the requirements/ standards of UL10B, UL10C, UBC7.2
- Shall meet FAR 25.853 Airworthiness standards for compartment interiors
- Smoke tested in accordance with UBC 7-2 and UL 1784-01; meets the requirements of NFPA 105-99 "Standard for the installation of door assemblies and other opening protectives"
- Air infiltration tested in accordance with ASTM E-283 -04. Air infiltration is only 0.09 cfm /ft of crack
- The Seal shall begin compressing at 1/4". Compresses to seal upto 1/16" gap.


Used In	Qty
LKGR	1
SLGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-109**

Henderson Husky 100, Sliding fitting for Timb



Henderson Husky 100, Sliding fitting for Timber Doors with Henderson Track 280A

- Shall be suitable for timber, timber framed or composite doors.
- Shall be suitable for Heavy weight room dividers
- Shall offer quiet operation with Nylon rollers
- Shall have manufacturers 10 year warranty
- Floor component shall have guide with channel as non-standard option
- Shall have option of simultaneous action
- Shall be suitable for Max. door weight: 100kg
- Track shall be Extruded Anodised Aluminium Top Sliding

Used In	Qty
LKGR	2




**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-109-2**

Henderson Track 280A/2000mm



Henderson Track 280A/2000mm

- Extruded Anodised Aluminium Top Sliding Track Profile
- 2000mm in length
- Suitable for Timber &/or Glass Doors


Used In	Qty
LKGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-109-3**

Henderson Track 280A/3000mm



Henderson Track 280A/3000mm

- Extruded Anodised Aluminium Top Sliding Track Profile
- 3000mm in length
- Suitable for Timber &/or Glass Doors

Used In	Qty
LKGR	1

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution

### **0100-HW-110**

Henderson Pacer 12/130 Glass Sliding fitting



Henderson Pacer 12/130 Glass Sliding fitting for Glass Doors with Henderson 600 Alu Track


- Glass Sliding door system
- Shall be suitable for maximum door weight of 130kg
- Shall be suitable for doors with maximum height of 3m and maximum width of 3m
- Shall be able to accommodate glass thickness of 8mm, 10mm & 12mm
- Shall be suitable for both sliding and fixed door panels
- Track shall be Extruded Anodised Aluminium Top Sliding

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution

### **0100-HW-110-2**

Henderson 600 Alu Track 2000mm



Henderson 600 Alu Track 2000mm

- Extruded Anodised Aluminium Top Sliding Track Profile
- 2000mm in length
- Suitable for Timber &/or Glass Doors

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-111**

Henderson Pacer 12/75 Glass Sliding fitting



Henderson Pacer 12/75 Glass Sliding fitting for Glass Doors with Henderson 600 Alu Track

- Glass Sliding door system
- Shall be suitable for maximum door weight of 75kg
- Shall be suitable for doors with maximum height of 3m and maximum width of 3m
- Shall be able to accommodate glass thickness of 8mm, 10mm & 12mm
- Shall be suitable for both sliding and fixed door panels
- Track shall be Extruded Anodised Aluminium Top Sliding
- Glass Sliding door system
- Shall be suitable for maximum door weight of 130kg
- Shall be suitable for doors with maximum height of 3m and maximum width of 3m
- Shall be able to accommodate glass thickness of 8mm, 10mm & 12mm
- Shall be suitable for both sliding and fixed door panels
- Track shall be Extruded Anodised Aluminium Top Sliding
- Glass Sliding door system
- Shall be suitable for maximum door weight of 130kg
- Shall be suitable for doors with maximum height of 3m and maximum width of 3m
- Shall be able to accommodate glass thickness of 8mm, 10mm & 12mm
- Shall be suitable for both sliding and fixed door panels
- Track shall be Extruded Anodised Aluminium Top Sliding


<b>Used In</b>	<b>Qty</b>
SLGR	10

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-111-2**

Henderson 600 Alu Track 2000mm



Henderson 600 Alu Track 2000mm

- Extruded Anodised Aluminium Top Sliding Track Profile
- 2000mm in length
- Suitable for Timber &/or Glass Doors


Used In	Qty
SLGR	5

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-111-3**

Henderson 600 Alu Track 3000mm



Henderson 600 Alu Track 3000mm

- Extruded Anodised Aluminium Top Sliding Track Profile
- 3000mm in length
- Suitable for Timber &/or Glass Doors

<b>Used In</b>	<b>Qty</b>
SLGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-112**

Lockwood SD101 SSS Sliding Glass Single Door



Lockwood SD101 SSS Sliding Glass Single Door Lock (Glass to wall/frame)

- Sliding Glass Single door lock (Glass to Wall or Frame)
- Shall be suitable for use on 10mm & 12mm thick toughened glass
- Shall be non handed
- Shall have Stainless Steel Finish

<b>Used In</b>	<b>Qty</b>
SLGR	2



**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-113**

Lockwood SD102 SSS Sliding Glass Double Door



**Lockwood SD102 SSS Sliding Glass Double Door Lock (Glass to Glass)**

- Sliding Glass Double door lock (Glass to Glass)
- Shall be suitable for use on 10mm & 12mm thick toughened glass
- Shall be non handed
- Shall have Stainless Steel Finish


<b>Used In</b>	<b>Qty</b>
SLGR	4

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-114**

Lockwood BT/35/35 Bathroom (Privacy) Cylinder



Lockwood BT/35/35 Bathroom (Privacy) Cylinder 70mm

- Shall be Euro Privacy Cylinder with Emergency Coin Turn and Thumbturn
- Shall be suitable to be used with Euro Profile Mortise Locks
- Shall have overall length of 70mm
- Shall have Satin Chrome Finish

Used In	Qty
LKGR	1
SLGR	6

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-115**

Lockwood FP-04 65mm Diameter Round Concealed



Lockwood FP-04 65mm Diameter Round Concealed Fix Flush Pull SSS

- Round Concealed Fix Flush Pull
- Shall have dimension of 65mm dia
- Shall be made of 304 Grade Stainless Steel
- Shall have Satin Stainless Steel finish

<b>Used In</b>	<b>Qty</b>
LKGR	4

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-116**

Lockwood SLD-01 Euro Mortice Sliding Door Loc



Lockwood SLD-01 Euro Mortice Sliding Door Lockset SSS

- Euro Mortise Sliding Door Lockset
- Shall be made of 304 Grade Stainless Steel
- Shall have Satin Stainless Steel finish

<b>Used In</b>	<b>Qty</b>
LKGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-117**

Lockwood SLF-02 Euro Mortice Sliding Door Loc



Lockwood SLF-02 Euro Mortice Sliding Door Lock Privacy Set - Flush Pull SSS

- Euro Mortise Sliding Door Lock Privacy Set & Flush Pull
- Shall be made of 304 Grade Stainless Steel
- Shall have Satin Stainless Steel finish

Used In	Qty
LKGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-118**

Lockwood EE-01 Euro Mortice Escutcheons SSS



Lockwood EE-01 Euro Mortice Escutcheons SSS

- Euro Profile Rose material SS Grade 304
- Tested for corrosion resistance in accordance with AS 2331.3.1 Neutral Salt Spray Test
- Shall have Satin Stainless Steel finish

Used In	Qty
LKGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-119**

Lockwood L-2121 Shower Hinge Wall to Glass -



Lockwood L-2121 Shower Hinge Wall to Glass - Square Edge CP

- Wall to Glass 90° double action spring hinge to return door from 25° from either side
- Shall be suitable for use on 8-10mm thick glass
- Shall be suitable for maximum door weight of 45kgs
- Shall be neutral salt spray tested for 240 hours
- Material shall be Brass with Bright Chrome Plated Finish


Used In	Qty
LKGR	3

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-120**

Lockwood L-2123 Shower Hinge Glass to Glass 1



Lockwood L-2123 Shower Hinge Glass to Glass 180 Degree - Square Edge CP

- Glass to Glass 180° double action spring hinge to return door from 25° from either side
- Shall be suitable for use on 8-10mm thick glass
- Shall be suitable for maximum door weight of 45kgs
- Shall be neutral salt spray tested for 240 hours
- Material shall be Brass with Bright Chrome Plated Finish

Used In	Qty
SLGR	6



**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-121**

Lockwood L-2815 Shower Handle with Bright Sta



Lockwood L-2815 Shower Handle with Bright Stainless Steel Finish

- Shower Handle c/c 425mm with 19mmØ
- Shall be neutral salt spray tested for 300 hours
- Material shall be Stainless Steel with Bright Stainless Steel Finish

<b>Used In</b>	<b>Qty</b>
LKGR	1
SLGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-122**

Lockwood LW-2900A Glass to Glass Seal for 8mm



Lockwood LW-2900A Glass to Glass Seal for 8mm Doors - 2.5m

- Glass to Glass 180° Shower Seal
- Suitable for 8mm thick glass

Used In	Qty
SLGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-123**

Lockwood LW-2901A Glass to Glass Seal for 8mm



Lockwood LW-2901A Glass to Glass Seal for 8mm Doors - 2.5m

- Glass to Glass 180° Shower Seal
- Suitable for 8mm thick glass


<b>Used In</b>	<b>Qty</b>
SLGR	2

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-124**

Lockwood LW-2904A Glass to Floor Seal for 8mm



Lockwood LW-2904A Glass to Floor Seal for 8mm Doors - 2.5m

- Glass to Floor Shower Seal
- Suitable for 8mm thick glass


Used In	Qty
LKGR	1
SLGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-125**

Lockwood LW-2905A Glass to Floor Seal for 8mm



Lockwood LW-2905A Glass to Floor Seal for 8mm Doors - 2.5m

- Glass to Floor Shower Seal
- Suitable for 8mm thick glass

Used In	Qty
LKGR	1

**Grand Norden Phase1**

Unlock and open the door to an economical Door Scheduling solution

**0100-HW-126**

Lockwood LW-2907A 180° Glass to Glass Magneti



Lockwood LW-2907A 180° Glass to Glass Magnetic Seal for 8mm Doors - 2.5m

- Glass to Glass 180° Magnetic Shower Seal
- Suitable for 8mm thick glass

Used In	Qty
LKGR	1

## Grand Norden Phase1

Unlock and open the door to an economical Door Scheduling solution



---

### Notes:

Please note this schedule has been prepared in accordance with the information provided.

Please check the details carefully as we cannot be held responsible for errors after an order has been placed by the client.